

Secured by Design



Police Preferred Specification



DOOR ENTRY PRODUCTS

APEX
ELITE

CAME 
ENTROTEC

CAME.COM/ENTROTEC



CAME ENTROTEC APEX

DOOR ENTRY RANGE


OVERVIEW

APEX is ideal for Low and High Rise developments that have multiple apartments and doors, or where Concierge facilities are required. Straight forward to install handset marshalling cabinets satisfy even the most complex audio, video or 'mix and match' door entry systems. The system comes as stand with built in EasiTag proximity access control that allow you to build a system by adding a lock controller and reader per required door.

KEY FEATURES

- Audio or Video versions available
- Fully isolated system
- Secured by Design compliant and tested
- Remote lock release connector (SBD requirement)
- Built in EasiTag proximity access control system for up to 16 doors per Apex controller. (Multiple Apex controllers can be networked together to form larger systems). (See EasiTag data sheet)
- Optional 40x40 proximity access control reader cut out or supplied with EasiTag/KMS/PAC
- Equality act Blue / White, Yellow & Black tactile key & symbol reader
- Stainless steel 2.5 BS316 marine graded Call panels
- Type 17 or Type 23 panels sizes available
- Overlap, bezelled or low-profile surface versions available
- All overlap panels and bezelled back boxes have rounded corners
- Functional (button per dwelling) or digital style call panels
- Supplied with pressure sensitive buttons, vandal resistant buttons or DDA backlit keypad equality act backlit 4x3 or 4x4 digital keypad with high contrast illuminated numerals
- Call reassurance tones at door panels with adjustable volume
- Auto Dial features (dials without having to press CALL button – digital call panel only)
- Energy efficient White on Black OLED displaying block information and panel instructions and call progress messages
- Lock count down timer
- Call waiting feature
- Multiple speech paths
- Over 6000 flats on APEX system
- Over 1000 digital and functional doors/system with configurable door zoning
- Housed in IP66 steel cabinet with 1242e key locks
- Controllers supplied in 00, 8,16 and 24 way formats
- Remote marshalling available in 8,16 and 24 way formats
- Use CW1308 or Cat 5/6 cabling
- MCB fitted as standard
- DC system allowing for full battery back-up and DC lock releases and maglocks (fused) 60w or 160w PSU
- Secondary outer door Vandal Resistant dual IP/A Dome Camera.
- Video switching and sequencing between panel and dome cameras
- Supports CAME Entrotec ED5, ED+ and RH+ series handsets, EV5, EV6, EV and EV+ video handsets
- Full handset isolation with electronic fuse protection and LED handset fault indication
- Switch adjustable time periods for all functions
- Privacy of speech between resident and visitor
- Integrated coded access facility (10 codes)
- Anti-tailgating function
- Lock release times individually, adjustable between 1 & 60 seconds
- Multi-block linkable for gated access systems
- Auto GMT/BST timeclock for trades function
- Option: EntroNet Concierge System
- Option: Integrated proximity access control
- Option: Integrated panel camera or separate CCTV camera for video systems
- Option: Different colour and design finishes for panels and accessories (See back page for examples)
- Option: Full voice annunciations (VOM)
- Option: Accessible features include use of different languages (4x4 keypad required)
- Option: Landing/deck access and lift control system





APEX COMPATIBLE RECEIVERS

APEX is compatible with the CAME Entrotec ED5 Audio receiver and EV5 Video receiver and EV6* apartment station. Audio and Video receivers can also be mixed, with over 6000 receivers per system.




**Compatible with Apex door entry panels dated 2012-present.*

APEX ACCESSORIES

CAME Entrotec manufacture a range of Door Entry accessories designed to work in conjunction with our Apex Door Entry System.

- Fire Fighter Switches
- Push to Exit Buttons (various ranges)
- DDA Accessories
- Controller Cabinet Accessories
- Vandal Resistant dual IP/A Dome Camera



CAME ENTROTEC APEX

DOOR ENTRY PANELS



OVERVIEW

Designed and built in the UK, APEX is one of the most renowned door panels that is being installed across social, private and mixed tenure housing developments. With its 'Chic' design, robust quality build and customary Secured by Design accreditation, APEX is ideal for low or high rise developments that have multiple apartments and doors or where concierge facilities are required.



KEY FEATURES

- Proximity access control EasiTag built in system
- Proximity access control reader
- Facial ID wide angle panel camera
- Keypad buttons
- Security fixings
- Microphone
- Speaker
- OLED display


OPTIONS

- Overlap, bezelled or surface versions available
- Type 17 dimensions 398 x 182 x 64
- Type 23 dimensions 289 x 174 x 64



APEX & SIMPLEKEY WEB

FULLY INTEGRATED SOLUTIONS



OVERVIEW

Our SimpleKey Web access control system is a unique and innovative access control solution for multi user residences. It is now used by over 400 local authorities and housing associations, and controls communal doors in approximately 22,000 housing blocks.

APEX door entry systems are now fully integrated with SimpleKey Web, enabling a more complete solution for new build and existing developments.



Designed for low and high rise developments that have multiple apartments and doors, or where concierge facilities are required. Straight forward to install handset marshalling cabinets satisfy even the most complex audio, video or 'mix and match' door entry systems.



Our SimpleKey Web system is a unique and innovative access control solution for multi user residences. It is now used by over 400 local authorities and housing associations, and controls communal doors in approximately 22,000 housing blocks.



FLEXIBLE

Full handset isolation and switch adjustable time periods for all functions.



LIMITED ENERGY USAGE

Energy efficient White on Black OLED displaying panel instructions and call progress messages



ROBUST AND RELIABLE

The stainless steel 2.5mm BS316 call panels are compliant with a number of industry regulations.



SYSTEM LIMITS

Over 1000 digital and functional doors/system with configurable door zoning.



CONFIGURATION FLEXIBILITY

APEX system controllers are supplied in 8, 16 and 24 way formats so there is a solution for every need.



SECURED BY DESIGN COMPLIANCE

All Secured by Design compliance regulations have been met by the APEX door entry range, ensuring a highly secure solution.



FOB ADMINISTRATION

Fobs can be simply and quickly added or deleted from any web enabled device.



RELEASE DOORS REMOTELY

Open doors from any web enabled device.



MANAGE USERS

Organise users into housing blocks/estates/ user groups so that they may be controlled collectively.



DOOR UNLOCK INVITATION

Allow temporary visitors entry by providing them a digital limited time access credential. Permissions can be pre-configured to guarantee site security.



SYSTEM ALERTS

Emails automatically generated for alerts like door left or forced open.



SCHEDULED REPORTING

Configure SimpleKey Web to generate reports automatically and distribute them to predefined individuals.

CAME ENTROTEC ELITE

DOOR ENTRY RANGE






OVERVIEW

Elite is a simple to use and easy to install door entry system suitable for low rise buildings with up to 16 apartments and 2 entrance doors. The system is fully isolated and is ideal for Low Rise applications that require audio only, colour video or 'mix and match' handsets. The system comes complete with EasiTag proximity access control for up to two call panel doors.

KEY FEATURES

- Audio or Video versions available
- Fully isolated system
- Built in EasiTag proximity access control system for up to 2 call doors per Elite controller). (See EasiTag data sheet)
- Optional 40x40 proximity access control reader cut out or supplied with EasiTag/KMS/PAC
- Equality act Blue / White, Yellow & Black tactile key & symbol reader
- Stainless steel 2.5 BS316 marine graded Call panels
- Type 17 or Type 23 panels sizes available
- Overlap, bezelled or low-profile surface versions available
- Panels and backboxes have rounded corners
- Door panels supplied with Pressure Sensitive Buttons or Vandal Resistant Buttons with or without yellow DDA contrasting rings
- Energy efficient black on white LCD readout at door panel(s) displaying call progress messages
- Call reassurance tones at front panels with adjustable volume
- New design Speaker Amp with split speaker and microphone for superior speech quality
- Housed in IP66 steel cabinet with 1242e key locks
- Controllers supplied in 6, 8 and 16 way formats, single or dual entrance, audio or video
- DC system allowing for full battery back-up and DC lock releases and maglocks (fused) 60w or 160w PSU
- Supports CAME Entrotec ED5, ED+ and RH+ series handsets, EV5, EV6, EV and EV+ video handsets
- Full handset isolation with fuse protection and LED handset fault indication
- Privacy of speech between resident and visitor
- Adjustable time periods for ring time, call-up time and speech time
- Use CW1308 or Cat 5/6 cabling
- MCB fitted as standard
- Timed lock release relays fully adjustable between 1 & 60 seconds
- Anti-tailgating function
- Built-in GMT/BST time clock for trades access with 12 On/Off settings per day/week
- Full LED indication of system status and diagnostics
- Option: Integrated proximity access control
- Option: Integrated panel camera or separate CCTV camera for video systems



ED5

EV5

ELITE COMPATIBLE RECEIVERS

Elite is compatible with the CAME Entrotec ED5 Audio receiver and EV5 Video receiver and EV6* apartment station. Audio and Video receivers can also be mixed, with over 6000 receivers per system.



EV6

**Compatible with Elite door entry panels dated 2012-present.*

ELITE ACCESSORIES

CAME Entrotec manufacture a range of Door Entry accessories designed to work in conjunction with our Elite Door Entry System.

- Fire Fighter Switches
- Push to Exit Buttons (various ranges)
- DDA Accessories
- Controller Cabinet Accessories
- Vandal Resistant dual IP/A Dome Camera



CAME ENTROTEC ED5

AUDIO RECEIVER



OVERVIEW

The ED5 Handset allows an occupant of a dwelling to answer a call from a visitor at a communal entrance and have a two-way simultaneous conversation. They can then enable the remote operation of the electric locking device to permit the visitor access. The ED5 is constructed from hard wearing HIPS plastic in a sleek and modern design. HIPS has good mechanical properties; impact resistance and toughness. The handset is a 'surface mount' design for easy installation.




KEY FEATURES

- Door status indicator
- Privacy on/off function
- Concierge callback function
- Discreet matt white finish complementing a subtle design, with a depth of only 21mm
- Compatible with previous models
- Supplied with a mounting frame for easy installation
- Compatible with all Apex and Elite door entry panels

CAME ENTROTEC EV5

VIDEO RECEIVER



OVERVIEW

With its low profile, hardwearing HIPS plastic, surface mount design and bright 5" display the EV5 builds on its predecessors with a magnetic contact handset cradle capacitive soft touch buttons and discreet LED indicators. Compatible with APEX, Elite and legacy systems, the EV5 is the modern replacement for the EV and EV+ apartment stations. Timed privacy can be set to have an on/off privacy button or be set up as a timed privacy. this can be set for a client preferred period.



KEY FEATURES

- Sharp and crisp interactive TFT display - 5" 480 x 272
- Soft touch controls for brightness, contrast and colour adjustment
- White LED visual indicators sit beneath the surface, making the buttons easy to locate in low light settings
- Magnetic hand-up cradle switch
- Timed privacy can be set to have an on/off privacy button or be set as a timed privacy
- Discreet matt white finish complementing a subtle design, with a base depth of only 21mm
- Supplied with a mounting frame for easy installation
- Compatible with all Apex and Elite door entry panels

CAME ENTROTEC EV6

APARTMENT STATION



OVERVIEW

A modern, stylish apartment station developed to demonstrate that quality and style go hand in hand. Complementing the 5" interactive TFT display is a striking matt white finish. EV6 has been designed for low and high-rise private or general housing developments and multiple dwelling buildings.



KEY FEATURES

- Sharp and crisp interactive TFT display - 5" 480 x 272
- Soft touch controls for brightness, contrast and colour adjustment
- White LED visual indicators sit beneath the surface, making the buttons easy to locate in low light settings
- Timed privacy can be set to have an on/off privacy button or be set as a timed privacy
- Discreet matt white finish complementing a subtle design, with a depth of only 25mm
- Supplied with a mounting frame for easy installation
- Compatible with all Apex and Elite door entry panels dated 2012 to present

CAME  **ENTROTEC**

CAME ENTROTEC

CAME ENTROTEC

5 Ashwood Court
Oakbank
Livingston
EH53 0TL

Tel: 01506 886230



© DOORENTRY0525 - 2025 - EN
YOU MAY NOT EVEN PARTIALLY REPRODUCE THIS DOCUMENT
THE DATA AND INFORMATION SHOWN IN THIS CATALOGUE ARE SUBJECT TO CHANGE WITHOUT OBLIGATION TO GIVE PRIOR NOTICE BY CAME S.P.A. E&OE



CAME S.p.A.
Came cancelli automatici S.p.A.
is certified for Quality and Environment
UNI EN ISO 9001
UNI EN ISO 14001
BS OHSAS 18001

CAME.COM/ENTROTEC