

CAME ENTROTEC ELITE

DOOR ENTRY SYSTEM

OVERVIEW

Elite is a simple to use, and easy to install door entry system suitable for low rise buildings with up to 16 apartments and 2 entrance doors.

Elite is a fully isolated system and ideal for Low Rise applications that require Audio only, Colour Video or 'Mix and Match' handsets.

ELITE FEATURES & BENEFITS

- Ideal for Low Rise Applications
- Simple to Install
- Full Isolation of Speech Between Resident and Visitor
- Provides Superior Audio and Video Quality
- Provides 'Reassurance Tone' at Call Panel
- Add up to 16 ED+ Series Audio Handsets and / or EV Series
- Video Handsets
- Provides Flexible Future Upgrade Option from Audio to Video System For use with 12VDC Maglocks and Strike Locks
- Optional Access Control
- · Optional Battery Back-up



ELITE SYSTEM CONTROLLER

- An Elite System is available with a 6, 8 or 16 way, single or dual entrance, audio or video controller.
- Controllers are supplied as standard in a high quality stainless steel IP66 rated lockable controller enclosure with polyurethane door seals and a wielded body for extra strength.
- Enclosures can be supplied with Hasp and Staple and Traffolyte
 Apple
- Elite Controller Features:
- MCB Mains Protection
- Full LED Indication of System Status and Diagnostics
- Isolated Handset Ports
- Individual Handset Fuse Protection
- Switch Mode Power Supply
- Lock Output Fuse Protection
- DC System Allowing for Full Battery Back-up and DC Lock Releases and Maglocks (Fused)
- Timed Lock Release Relay Fully Adjustable between 1 & 60 Seconds Adjustable Time Periods for Call Tone Time, Call-up Time (1 to 60 seconds) and Speech Time (10 to 120 seconds)
- Adjustable Speech and Call Panel 'Reassurance' Tone Volume
- Built-in GMT/BST Time Clock for Trades Access with Automatic Summer / Winter Correction
- Anti-Tailgating Function
- Anti-Lockdown
- Optional Mains Monitoring Lock Dropout Relay



ACCESS CONTROLOptional Access Control

 Optional Access Control can be integrated into an Elite Door Entry System including CAME Entrotec's Access Control solution, Easitag Elite. CAME Entrotec Door Entry Systems can be incorporated with most specified Access Control Systems and we work closely with all leading integrated and cloud based Access Control Developers. We aim to provide the most suitable solution that meets the clients specification.









FUNCTIONAL ELITE RANGE FEATURES:

- 316 Marine Grade Stainless Steel
- Can Call up to 16 Apartments
- Optional Trades Facility Available
- Optional Integrated Panel Camera for Video Systems
- Reader Facility: Optionally Integrate Access Control of Your Choice
- Choice of Vandal Resistant, Pressure Sensitive or 'Click Touch' Buttons with DDA yellow rings
- High Visibility Black on White LCD Displaying System Operating Functions Engraved Operating Instructions, Symbols and Text Laser Etched to Your Spec Optional braille characters, operating instructions and block name
- Speaker Amp with Seperate Speaker and Microphone for Crystal Clear Audio Fitting Styles: Flush mount Bezel or Overlap. Surface Mount.
- · Back Boxes: Galvanised or Stainless Steel



COMPACT ELITE RANGE FEATURES:

- Compact Size Offers a Neat Solution
- 2.5mm 316 Marine Grade Stainless Steel
- Can Call up to 8 Apartments
- Optional Trades Facility Available
- Reader Facility: Optionally Integrate Access Control of Your Choice
- Choice of Vandal Resistant, Pressure Sensitive 'Click Touch' Buttons with DDA yellow rings
- High Visibility Black on White LCD Displaying System Operating Functions Engraved Operating Instructions and Text Laser Etched to Your Spec Optional braille characters, operating instructions and block name
- Speaker Amp with Seperate Speaker and Microphone for Crystal Clear Audio Fitting Styles: Flush mount Bezel or Overlap. Surface Mount.
- Back Boxes: Galvanised or Stainless Steel



HANDSETS

Elite is compatible with CAME Entrotec ED3+ and ED4+ Audio handsets and EV and EV+ Video handsets. On Elite systems, Audio and Video handsets can also be mixed, with a maximum number of 16 handsets per system. Optional DDA Flashing Beacons or Sounder handset extensions available. Handset Hook and Desk Mount Kit options are also available.



	ED3+	ED4+	EV	EV+
High Impact White ABS Plastic	•	•	•	•
Easy to Read Button Function Icons	•	•	•	•
Adjustable Call Tone Volume	•	•	•	•
Door Release Button with Green Door Status LED and Icon	•	•	•	•
Output for Extension Handset, Remote Sounder or Flashing Beacon	•	•	•	•
Latching On / Off Privacy Feature with Red LED and Icon	•		•	
Timed Privacy Feature with Red LED, Link Selectable for 5 mins - 8 hrs		•		•
Disable Privacy Feature, Link Selectable		•		•
Additional Function Button Option e.g. Camera Switch		•		•
4.3" 480x272 High Resolution Colour TFT-LCD Display			•	•

CAME ENTROTEC ELITE

TECHNICAL SPECIFICATIONS

	Elite
Number of Doors	1 or 2
Number of Handsets	Up to 16 Maximum
System Supply	Single Phase Mains Supply 230VAC @ 50Hz, 0.6A Max
System Supply Output	13.8VDC @ 4.35A Max (60 Watts)
Lock Release	2 Independent Relays Rated at 2A (Separately Fused)

ELITE ACCESSORIES

CAME Entrotec manufacture a range of Door Entry accessories designed to work in conjunction with our Elite Door Entry System.

Fire Fighter Switches

Double Pole 316 marine grade stainless steel Fire Fighter Switches available in a range of finishes with Overlap, Bezel or Surface mount fitting styles

Self-Resetting Push to Exit Buttons

CAME Entrotec supply a range of double pole self resetting Push to Exit buttons

DDA Accessories

Including Handset Hooks, Flashing Beacons, Flashing Sounders and Inductive Couplers

Controller Cabinet Accessories

Including Hasp and Staple for increased security and Traffolyte Labels.

Vandal Resistant Dome Camera

Compatible with Elite Video Systems ensures a wide area can be viewed at entrance doors on video handsets

Other accessories are available by request.



FS4 Red Powder Coated Surface Mount Fire Switch



PTE/EPTE/YR Push To Exit Button with Engraved Instructions and DDA yellow ring

CAME ENTROTEC 5 Ashwood Court Oakbank

Livingston EH53 OTL

Tel: 01506 886230 **Support:** 01506 886235

